

Outcomes of patients with thrombotic thrombocytopenic purpura treated in an intensive care unit

SHIVA KUMAR NARAYAN*, KIRANKUMAR GUDIVADA*, SUMITRA SIVAKOTI,
BHUVANA KRISHNA

SUPPLEMENTARY TABLE I. Details of individual patients

Patient	Age (years)	Gender	APACHE II score	PLASMIC score	Steroid Type	Dose (mg)	PE sessions/ cumulative volume (L)	AKI recovery	Length of stay (days)			MV (days)	Comorbid conditions	Final outcome	Complications	Clinical presentation
									ICU	Hospital						
1	32	M	13	7	D	12	9/22	–	12	18	3	Human retroviral disease	Discharged – alive	Nil	Altered sensorium, macroscopic haematuria	
2	31	M	30	4	D	16	NR	–	6	6	6	HTN, CKD	Died – attributable to TTP-pulmonary thromboembolism	Pulmonary embolism, acute vomiting renal failure requiring dialysis	Chest pain, acute vomiting	
3	23	M	12	6	NR	–	NR	In ICU	5	10	0	Nil	Discharged – alive	Nil	Seizures, vomiting, proteinuria	
4	31	F	18	6	NR	–	8/13.5	–	9	17	0	Nil	Discharged – alive	Urinary tract infection, pneumonia	Seizures, vomiting, abdominal pain; proteinuria	
5	75	F	20	6	H	300	NR	–	2	3	2	Hypothyro- idism	DAMA	Status epilepticus	Seizures, focal deficits, proteinuria, microscopic haematuria	
6	23	F	13	5	M	500	6/6	–	10	17	8	Nil	Died – septic shock (pneumonia)	IVAC, TRALI, pulmonary oedema, acute renal failure requiring dialysis	Cutaneous bruising, menorrhagia, proteinuria, microscopic haematuria, anuria	
7	21	F	4	7	D	12	2/3	–	4	4	0	Nil	Died – attributable to TTP- hyperkalaemic cardiac arrest	Cerebral oedema, haemolysis	Altered sensorium, seizures, headache, vomiting; proteinuria; microscopic haematuria	
8	35	M	3	5	NR	–	NR	6 months	7	12	0	Nil	Discharged – alive	Acute severe pancreatitis, acute renal failure requiring dialysis	Vomiting, abdominal pain, oliguria	
9	24	F	11	6	D	12	10/13.5	–	18	33	0	Nil	Discharged – alive	Nil	Seizures, vomiting; proteinuria, micro- scopic haematuria	
10	25	F	10	5	NR	–	5/11.5	In ICU	8	13	0	Nil	Discharged – alive	Nil	Headache, visual disturbance	

cont.

Patient	Age (years)	Gender	APACHE II score	PLASMIC	Steroid		PE sessions/ cumulative volume (L)	AKI recovery	Length of stay (days)		MV (days)	Comorbid conditions	Final outcome	Complications	Clinical presentation
					Type	Dose (mg)			ICU	Hospital					
11	31	M	12	6	D	12	3/3.5	1 year	3	16	0	Nil	Discharged – alive	Acute severe pancreatitis, acute renal failure requiring dialysis	Abdominal pain, proteinuria, microscopic haematuria
12	58	F	19	4	M	60	NR	–	13	131	10	Hypothyroidism DM	Died – septic shock (urosepsis)	NSTEMI, acute renal failure requiring dialysis, pyelonephritis	NSTEMI, vomiting, bloody diarrhoea, abdominal pain, proteinuria, microscopic haematuria, anuria
13	49	F	15	6	D	12	5/9.5	Progressed to ESRD	10	27	0	DM, osteoarthritis	Discharged – alive	Acute renal failure requiring dialysis	Left ventricular systolic dysfunction, proteinuria, microscopic haematuria, anuria
14	36	F	33	6	NR	–	NR	–	11	35	5	Hypothyroidism, HTN, CKD	Withdrawal of life support	CAUTI, mesenteric ischaemia, hypoxic encephalopathy, acute renal failure requiring dialysis	Abdominal pain, proteinuria, microscopic haematuria, anuria, abdominal pain
15	20	M	41	5	NR	–	6/12	1 year	8	18	6	Psychiatric illness	Discharged – alive	CLABSI, acute severe pancreatitis, acute renal failure requiring dialysis	Seizures, vomiting, abdominal pain, proteinuria, oliguria
16	54	F	20	7	D	40	NR	–	1	2	0	Hypothyroidism COPD, HTN, DM	Died – attributable to TTP-cerebral oedema	Refractory intracranial hypertension, status epilepticus	Altered sensorium, cutaneous bruising, proteinuria, macroscopic haematuria
17	55	F	17	4	NR	–	NR	Progressed to ESRD	4	29	0	COPD	Discharged – alive	Acute renal failure requiring dialysis	Vomiting, bloody diarrhoea, anasarca, anuria,
18	38	F	8	5	NR	–	NR	–	1	1	1	Nil	Died – attributable to TTP-hyperkalaemic cardiac arrest	Mesenteric ischaemia, haemolysis	Menorrhagia, vomiting, abdominal pain

contd.

Patient	Age (years)	Gender	APACHE II score	PLASMIC Type	Steroid Dose (mg)	PE sessions/ cumulative volume (L)	AKI recovery	Length of stay (days)			MV (days)	Comorbid conditions	Final outcome	Complications	Clinical presentation
								ICU	Hospital						
19	45	F	19	5	D	12	6/6.5	–	6	11	2	Hypothyroidism, DM	Died – septic shock (blood-stream infections)	CLABSI, CAUTI, acute renal failure requiring dialysis	Cutaneous bruising, proteinuria, microscopic haematuria, anuria
20	25	M	14	7	D	12	4/8	–	4	11	0	Nil	Discharged – alive	Acute cerebrovascular accident	Stroke, seizures, focal deficits, headache; vomiting, proteinuria, microscopic haematuria
21	25	F	9	6	M	1000	3/6	In ICU	4	8	0	Hypothyroidism, HTN	Discharged – alive	Nil	Headache, vomiting, proteinuria
22	30	F	23	4	M	500	2/4	Progressed to ESRD	6	25	4	Nil	Discharged – alive	Acute pancreatitis, abruptio placenta, acute renal failure requiring dialysis	Bleeding from line sites, proteinuria, microscopic haematuria, anuria
23	32	F	17	4	D	20	1/2	Progressed to ESRD	2	22	0	Hypertension	Discharged – alive	Acute renal failure requiring dialysis	Menorrhagia, anuria, proteinuria, microscopic haematuria
24	61	M	30	5	NR	–	NR	–	4	11	3	IHD, CKD	Died – attributable to TTP-hyperkalaemic cardiac arrest	Haemolysis, acute renal failure requiring dialysis	Myocardial infarction, proteinuria, microscopic haematuria, anuria
25	30	F	21	7	M	1000	4/8	–	7	12	0	Nil	Discharged – alive	Stroke, sepsis – bloodstream infection, acute renal failure requiring dialysis	Seizures, focal deficits, proteinuria, microscopic haematuria
26	31	F	8	7	NR	–	4/5	–	5	8	0	Nil	Discharged – alive	Seizures	Headache, vomiting proteinuria, microscopic haematuria
27	41	F	14	6	NR	–	2/6	–	4	5	3	Nil	Died – attributable to TTP-hyperkalaemic cardiac arrest	Haemolysis, IVAC, acute renal failure requiring dialysis	Headache, visual disturbance, menorrhagia, microscopic haematuria, anuria

contd.

Patient	Age (years)	Gender	APACHE II	PLASMIC score	Steroid Type	Dose (mg)	PE sessions/ cumulative volume (L)	AKI recovery	Length of stay (days)		MV (days)	Comorbid conditions	Final outcome	Complications	Clinical presentation
									ICU	Hospital					
28	35	F	11	7	D	12	1/2	–	4	4	2	Nil	Died – attributable to TTP-cerebral oedema	Refractory intracranial hypertension, status epilepticus	Seizures, headache
29	25	F	9	7	M	1000	1/2	–	4	5	0	Hypothyroidism, HTN	DAMA	Miscarriage	Foetal demise
30	45	F	18	6	M	1000	5/12.7	–	5	5	2	Nil	Died – septic shock (pneumonia)	IVAC, acute cerebrovascular accident, upper gastrointestinal bleeding, seizures	Stroke, focal deficits, headache, cutaneous bruising, vomiting, proteinuria, microscopic haematuria
31	23	F	21	3	NR	–	NR	Progressed to ESRD	2	27	2	HTN	Discharged – alive	CLABSI, haematoma following renal biopsy, acute renal failure requiring dialysis	Anuria, fluid overload
32	32	M	12	6	M	1000	NR	–	2	14	0	Nil	Discharged – alive	CLABSI	Altered sensorium, seizures, headache, vomiting
33	28	M	22	6	M	1000	10/18.8		12	17	7	Nil	Discharged – alive	Nil	Seizures, loose stools, vomiting

D dexamethasone M methylprednisolone
COPD chronic obstructive pulmonary disease
TRALI transfusion-related acute lung injury infarction

H hydrocortisone NR not received CKD chronic kidney disease DM diabetes mellitus type II HTN systemic hypertension AKI acute kidney injury
CLABSI central line-associated bloodstream infections CAUTI catheter-associated urinary tract infection IVAC infection-related ventilator-associated complication
DAMA discharge against medical advice ICU intensive care unit MV mechanical ventilation ESRD end-stage renal disease NSTEMI non-ST elevation myocardial infarction